


Продукт Описание

Спецификация


Продукт имя	Алюминиевая катушка 5052H18
материал	Серия 1000/3000/5000
Характер	H114
Толщина	0,8-10 мм
Ширина	100-2400 мм
длина	менее 12000 мм
поверхность	Будьте свободны от масляного пятна, вмятины, включения, царапин, пятен, обесцвечивания оксидов, разрывов, коррозии, ролонных знаков, грязевых полос и других дефектов, которые будут мешать использованию.
МОQ	5 тонн
стандарт	GB / T 3880-2006, Q / Q 141-2004, ASTM, JIS, EN
сертификация	ISO9001, SGS, ROHS, FDA, TUV

Продукты Показать





заявка



5 баров алмаз
Алюминиевая клетчатая катушка широко используется в освещении, солнечной отражающей пленке, облицовке здания, внутренней отделке, потолке, стене, мебели, шкафах, лифте, внутренней отделке автомобиля, бытовой технике, холодильниках, микроволновых печах, аэрокосмической, военной, химической / тепловой изоляции трубопроводов.

упаковка & Ам; Доставка

МОQ	3 тонны
Производительность	2500 тонн / месяц
Пример оплаты	A4 формат выборки бесплатно, вам нужно только оплатить фрахт
Изготовление образцов	Примерно через неделю после получения оплаты
Элемент оплаты	T / T, предоплата 30%, баланс перед отправкой. Безотзывный аккредитив в поле зрения
Срок поставки	Через 25-35 дней после получения предоплаты
Детали упаковки	Стандартный экспортный пакет. Горизонтальный и вертикальный поддон. Один контейнер 20 GP может загружать около 18 тонн Один контейнер 40 GP может загружать около 22 тонн



Профиль Компании

Harbin Dongxing Aluminum Co., Ltd

Добро пожаловать в Harbin Dongxing Aluminum Co., Ltd, ведущий китайский производитель алюминиевых изделий. Мы созданы в 2000 году, расположенном в красивом городе Харбине. Наша фабрика является компетентным и надежным поставщиком в алюминиевой фольге с прослойкой и покрытием, рулонах, листах и других алюминиевых изделиях в Китае.



Оборудование для переработки





наш Сертификаты

**CERTIFICATE OF CONFORMITY
OF QUALITY MANAGEMENT SYSTEM
CERTIFICATION**


Certificate No. 00909Q10566RSL


HARBIN DONGXING ALUMINUM CO.,LTD.
—NO.1 Tianfu Road, Xinhua Industrial Area, Pingfang District, Harbin,
Heilongjiang Province, P.R.C. 150066

is in conformity with
GB/T19001-2000 (idt ISO9001:2000) standard
This certificate is valid to the following area


**Production and Service of Aluminium Alloy and Magnesium
Alloy Processed Material and Highly Processed Products
(Excluding 7.3 Design and Development). Design, Development,
Production and Service of Aluminium Alloy Materials and
Magnesium Alloy Profile**

Issue Date: 2015.09.15 China Xinshidai Certification Body
No. 7 Jingshan Rd., Chaoyang District, Beijing


Expiry Date: 2019.09.14 Director: 



SYSTEM CERTIFICATION



IAF



MANAGEMENT SYSTEM
CNAS C008-Q

If you want to check the validity of this certificate, please land the WEBSITE: WWW.XQC.COM.CN at any time.


Certificate of FDA Compliance

Certification No.: RJSCHN140595FDA Test Report No.: TSNEC1400450502

Applicant:	Harbin Dongxing Aluminum Co., Ltd
Address:	No.1 Tianfu Road, Xinhua Area, Pingfang Dist, Harbin, china
FDA Facility Registration No.:	1622795206
Product Description:	Hydrophilic Foil/Aluminum Coil/Aluminum Sheet/Aluminum Foil
Type:	N/A
Test Standards:	21CFR175.300 LEACHABLE LEAD CONTENT
Test Performing Date:	Apr. 21, 2015 TO Apr. 28, 2015
Test Laboratory:	SGS
Date of Issue:	Jun. 29, 2016
Valid to:	Jun. 28, 2017

Conclusion:
This certificate is only valid for the equipment and configuration described, in conjunction with the test date detailed above.
This certificate makes no other representations or warranties, nor does it make any representations or warranties to any person or entity other than the named certificate holder. RJS attached testing & certification center assumes no liability to any person or entity in connection with the foregoing.



EMMA HUI
Chief Operation Officer
Date: Jun. 29, 2016





RJS STANDARDS TESTING & CERTIFICATION CENTER (HK)



Industrie Service

CERTIFICATE

The Certification Body - 0036 - of TÜV SÜD Industrie Service GmbH

certifies that
Harbin Dongxing Aluminum Co., Ltd.
No.1 Tianfu Road, Xinhua Area, Pingfang District,
150066, Harbin City, P.R.China

has implemented, operates and maintains a
Quality Assurance System in accordance with the
Pressure Equipment Directive 97/23/EC, Annex I, Section 4.3,
AD 2000-Merkblatt W 0 as well as EN 764-6, Para. 4.2
as a material manufacturer for the scope of
aluminium plates.

The scope of the approval is described in the annex to this certificate.
Further details are mentioned in report no. 229308.
The manufacturer is therefore authorized to issue certificates of specific product control within the scope of the assessed quality system and in accordance with the Pressure Equipment Directive 97/23/EC. Possible additional requirements - specific to applied technical specifications to meet PED Annex I - are not affected.

This certificate is valid through May 2019.

In order to adhere the validity an annual surveillance audit is required.
The validity of this certificate is connected to a valid certification in accordance with ISO 9001:2008.

Certificate No. DGR-0036-QS-W 7512019/MUC
Munich, June 07, 2016

Notified Body, No. 0036



M. Strobel
(M. Strobel)

Certification Body
Material and Welding Technology



EQ2675675

TÜV SÜD Industrie Service GmbH, Wasserdorf 196, 85686 Munich, Germany



TEST REPORT

No. : GZIN1603012602ML
Date : Apr 05, 2016
Page: 1 of 2

CUSTOMER NAME: HARBIN DONGXING ALUMINIUM CO., LTD
ADDRESS: NO 1 TIANFU ROAD, XINHUA INDUSTRIAL AREA, PINGFANG DISTRICT, HARBIN, CHINA 150066

The following sample(s) was/were submitted and identified on behalf of the client as:
Sample Name : 5052 ALLOY IN 3MM THICKNESS
SGS Ref. No. : GZIN1603012563PC
Date of Receipt : Mar 30, 2016
Testing Start Date : Mar 30, 2016
Testing End Date : Apr 05, 2016
Test result(s) : For further details, please refer to the following page(s)

Signed for
SGS-CSTC Standards Technical
Services Co., Ltd. GZ Branch Testing
Center

Shining Chan

Shining Chan
Authorized signatory



This document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accessible on the Internet. It is the property of SGS and is not to be distributed outside the Client's premises. It is to be used for the sole purpose of the test or inspection for which it was issued. It is not to be used for any other purpose. The Client is responsible for the accuracy of the information provided. The Client is also responsible for the accuracy of the information provided. The Client is also responsible for the accuracy of the information provided. The Client is also responsible for the accuracy of the information provided.

Member of the SGS Group (SGS SA)



TEST REPORT

No. : GZIN1603012602ML
Date : Apr 05, 2016
Page: 2 of 2

Tensile Test:


Test Method: ASTM B209-14 & ASTM A370-15

Test item	Specimen type	Tensile strength, S _t (ksi)	Yield strength, YS(0.2% offset) (ksi)	Elongation after fracture, G=2in. (%)	Con.
ASTM B209-14 5052 H32 Req.	-	31.0-38.0 (0.114-1.14) ≤ 0.249	≥ 23.0 (0.114-1.14) ≤ 0.249	≥ 9 (0.114-1.14) ≤ 0.249	-
Result	Rectangular specimen	31.6	23.3	14	Pass

Note: 1. t is sample thickness, in.

2. The results comply with the requirement of ASTM B209-14 type 5052 H32.

Original Sample Photo:



***** End of report*****



This document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accessible on the Internet. It is the property of SGS and is not to be distributed outside the Client's premises. It is to be used for the sole purpose of the test or inspection for which it was issued. It is not to be used for any other purpose. The Client is responsible for the accuracy of the information provided. The Client is also responsible for the accuracy of the information provided. The Client is also responsible for the accuracy of the information provided. The Client is also responsible for the accuracy of the information provided.

Member of the SGS Group (SGS SA)



КОНТАКТ НАС

У нас есть эффективная команда по продажам и технической поддержке для предоставления клиентам комплексной технической поддержки. В обновлениях продуктов, технических обновлениях и клиентах, чтобы добиться прогресса вместе, чтобы предоставить клиентам приложения для алюминиевых сплавов на решение.



Contact Us



Amber Zheng

- Position: Sales Manager
- Tel: 0086-0451-87105377 0086-13766825059
- Email: amber@aludongxing.com
- SKYPE: [amberamber796](https://www.skype.com/user/amberamber796)
- Trademanager: [cnaludongxing](https://www.trademanager.com/cnaludongxing)
- QQ: 2851851713