

00 00	1100 00
00	0
00	00
00	1100
00	o-h112
00	0.21-6. 0 00
00	200-3200mm
00	0 030000mm
00	00/0 3880-2006, q/q 141-2004, astm, jis, en
00	ISO9001,SGS, rohs, fda
00	t/0, 0/0
00	000 0000000000000000000000 00, 00, 0000, 0000000000, 00 000000
00	000000 00000000000000, 000000 0000000000000000 000000000000000000 00000000, 00000, 0000, 0000, 00, 00000,
	00000, 000000, 00000 00000000

11/11



□□ & □□

□□□□□□: □□□□□□□20□□

□ □ □ □ : □ □ □ □ □ □

□□ □□□2-3 □□□□□□□□□□□□

20GP 18-20

40GP 24



1 〇〇〇〇 〇〇**2**〇〇〇〇〇〇 **belts** **3.**〇〇〇

□□□□ 2000□, □□□□□□□□

□□□□□-□□□□□

□□□□□□□□□□□□□□;□□□□□□/□□,

□/□, □□, □18□□, 260 □□, 4500 □□□□□20000□□□



□□ □□



□□□ iso9001:2008 □□□□ □□

□□□□□ Alibaba.com □□



sgs □□

fda □□

□□□□

□: □□□□□□□□□□

□: □□□5-10 □, □□□□ □□□□□□□20□, □□□□□□□□

□□□□ □□.

□: □□□□□□□□□□□□□□□□ ?

□□: □□, □□□□□□□□□□□ □□□□□□□□□□

□: □□□□□□□□□□

a: □□30% □/□, □□□□□□ □□□□□□

□□ □□

□□□□□□□□ □□□□□□□□□□

□□□□□□□□!□□100% □□□□□ □□□

□□!

□□□□□□□□□□□□, □□□□□□□□□!

□□

□□□□ □□ Co. □□□□

tel:86-0451-87105366 app:+0086-18714605147

qq:2851851719

skype:rain_402