

鋼 鋼

鋼 鋼	鋼 鋼
鋼	鋼
鋼	鋼
鋼	0.25-500mm
鋼	200-3300mm
鋼	200-30000mm
鋼	鋼/鋼 3880-2006, q/q 141-2004, ASTM, JIS, EN
鋼	/鋼, 鋼/鋼
鋼	t/鋼, 鋼/鋼
鋼	鋼鋼 鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼 鋼, 鋼, 鋼鋼鋼, 鋼鋼鋼鋼鋼鋼鋼, 鋼 鋼鋼鋼鋼
鋼	鋼 鋼
	鋼 鋼
	鋼 鋼
	鋼 鋼
	鋼 鋼
	鋼 鋼
	鋼.
鋼	鋼 鋼
	鋼 鋼
	鋼鋼 鋼鋼鋼
	鋼 鋼鋼鋼
	鋼 鋼
	鋼 鋼鋼鋼
	鋼 鋼
	PP 鋼 鋼
	鋼.

鋼 鋼



鋼 & 鋼

鋼鋼鋼鋼: 鋼鋼20-60 鋼 鋼鋼鋼

鋼鋼鋼: 鋼鋼鋼鋼鋼鋼

鋼鋼鋼鋼鋼鋼2-3 鋼鋼鋼鋼鋼鋼鋼 鋼鋼鋼鋼鋼

鋼鋼20GP 鋼鋼鋼鋼鋼鋼鋼18-20 鋼 鋼鋼

鋼鋼40GP 鋼鋼鋼鋼鋼鋼鋼24鋼鋼 鋼



1. 鋼鋼鋼鋼 鋼鋼
2. 鋼鋼鋼鋼鋼 鋼
3. 鋼鋼鋼鋼

鋼 鋼



□□ □□



□□ ISO9001:2008 qualitysystem □□□□□□ Alibaba.com □□



SGS □□

FDA □□

□□□□

□: □□□□□□□□□□

□: □□□5-10 □, □□□□ □□□□□□20-60 □, □□□□□□□□

□□□□ □□.

□: □□□□□□□□□□□□□□□□ ?

□□: □□, □□□□□□□□□□□ □□□□□□□□□□

□: □□□□□□□□□□

A: □□30% □/□, □□□□□□ □□□□

☐☐ ☐☐

☐☐☐☐☐☐☐☐ ☐☐☐☐☐☐☐☐☐☐

☐☐☐☐☐☐☐☐! ☐☐100% ☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐!

☐☐☐☐☐☐☐☐☐☐☐☐, ☐☐☐☐☐☐☐☐☐☐!

— — — —

☐☐

☐☐☐☐ ☐☐ Co. ☐☐☐☐

Tel:86-0451-87105366 app:+0086-18714605147

QQ:2851851719 Skype:rain_402