



鋼	鋼
鋼 鋼鋼	鋼 鋼
鋼	6061
鋼	O/H112/T3/T351/T4/T451/T6/T651
鋼	1200-3200mm
鋼	6.0-150 鋼
鋼	鋼 8000mm
鋼 鋼鋼	0.3-0.5mm
鋼 鋼鋼	±2-4mm
鋼 鋼鋼	±2-4mm
鋼	鋼鋼鋼, 鋼5鋼
鋼 鋼	t/t;鋼鋼



鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼 鋼, 鋼, 鋼, 鋼, 鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼



鋼鋼鋼鋼: 鋼/鋼 3190-2008, JIS, EN, ASTM

鋼鋼鋼: 鋼/鋼 3880-2006, JIS, EN, ASTM



ROHS, SGS, FDA ISO9001:2008, ISO14001:2004, 鋼/T 28001-2001, 鋼

☐☐☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐☐☐ ☐☐!☐☐100% ☐☐☐☐☐☐☐☐☐☐!

☐☐☐☐☐☐ ☐☐☐☐☐☐, ☐☐☐☐☐☐☐☐!

☐☐

☐☐☐ ☐☐☐ Co. ☐☐☐☐

Tel:86-0451-87105366 app:+0086-18714605147

QQ:2851851719 Skype:rain_402