

XXXXXXXXXX Co., Ltd

-----XXXXXXXXX & XXXXXXXX XXXX XX/XX/XX

-----2000XXXX, XXXXX XXXXXXXXXXXXXXXXXXX,

XX XXXXXXXXXXXXXXXX

XXXXX

XX	1100/1050/1060/3003/3004/5052/8011
XX	0.2-3.0mm
XX	16XX-100 XX
XX	XX
XX	iso
XX	O/H14/H24/H18/H32
XX	XX
XX	XXXXXXXXX XXXXXXXX XX, XXX, XXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXX

XX XXXXX



XX & XX



□□ □□□□□□□□30□□□□ □□□□□□

□□ □□□□□□□□□□□□□□



"□ □□□□□□□□□□□□□□□□ "□ □□□□□□ Co., Ltd. □□□□. □□□□□□□□ Co.□Ltd. □□□□□□□□□□
□□□□□□□□□□□□ □□□□□□□□

(1) □□□□□□□□□□30□□□□□□ □□ &

□ □□.

(2)□□ □□□□□□□□□□□□□□, □□□□ on-site TUV □□

(3)□□ □□□□□ ISO9002 □□□□□□□□

(4) 24 □□□□□□

(5)□ □□□□□

(6)□□ □□□□□□□□□□□□



□: □□□□ □□□□□□□□

□: □□ □□5-10 □, □□□□□□□□□□□□45-60 □, □□□□□□ □□□□□□
□□□□□□□□

□: □□□□□□ □□?□□□□□□□□□□□□

