

鋼 鋼

鋼 鋼	鋼 鋼
鋼	鋼
鋼	鋼
鋼	0.25-500mm
鋼	200-3300mm
鋼	200-30000mm
鋼	鋼/鋼 3880-2006, q/q 141-2004, ASTM, JIS, EN
鋼	/鋼, 鋼/鋼
鋼	t/鋼, 鋼/鋼
鋼	鋼鋼 鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼 鋼, 鋼, 鋼鋼鋼, 鋼鋼鋼鋼鋼鋼鋼, 鋼 鋼鋼鋼鋼
鋼	鋼 鋼
	鋼 鋼
	鋼 鋼
	鋼 鋼
	鋼 鋼
	鋼 鋼
	鋼.
鋼	鋼 鋼
	鋼 鋼
	鋼鋼 鋼鋼鋼
	鋼 鋼鋼鋼
	鋼 鋼
	鋼 鋼鋼鋼
	鋼 鋼
	PP 鋼 鋼
	鋼.

鋼 鋼



鋼 & 鋼

鋼鋼鋼鋼: 鋼鋼20-60 鋼 鋼鋼鋼

鋼鋼鋼: 鋼鋼鋼鋼鋼鋼

鋼鋼鋼鋼鋼鋼2-3 鋼鋼鋼鋼鋼鋼鋼 鋼鋼鋼鋼鋼

鋼鋼20GP 鋼鋼鋼鋼鋼鋼鋼18-20 鋼 鋼鋼

鋼鋼40GP 鋼鋼鋼鋼鋼鋼鋼24鋼鋼 鋼



- 1鋼 鋼鋼鋼 鋼鋼
2. 鋼鋼鋼鋼 鋼
3. 鋼鋼鋼

鋼 鋼



00 00



00 ISO9001:2008 qualitysystem 00000000 Alibaba.com 00



SGS 00

FDA 00

0000

0: 000000000000

0: 0005-10 0, 0000 0000000020-60 0, 00000000

0000 00.

0: 000000000000000000 ?

00: 00, 000000000000 000000000000

0: 000000000000

A: 0030% 0/0, 000000 0000

☐☐ ☐☐

☐☐☐☐☐☐☐☐ ☐☐☐☐☐☐☐☐☐☐

☐☐☐☐☐☐☐☐! ☐☐100% ☐☐ ☐☐☐ ☐☐☐☐☐☐☐☐!

☐☐☐☐☐☐☐☐☐☐☐☐, ☐☐☐☐☐☐☐☐☐☐!

— — — —

☐☐

☐☐☐☐ ☐☐ Co. ☐☐☐☐

Tel:86-0451-87105366 app:+0086-18714605147

QQ:2851851719 Skype:rain_402