

鋼 鋼

鋼 鋼	鋼 鋼
鋼	鋼
鋼	鋼
鋼	0.25-500mm
鋼	200-3300mm
鋼	200-30000mm
鋼	GB / T 3880-2006 / Q / Q 141-2004 / ASTM / JIS / EN
鋼	/ T / L / C
鋼	T / T / L / C
鋼	鋼鋼 鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼 鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼 鋼鋼鋼鋼
鋼	鋼 鋼
	鋼 鋼
	鋼 鋼
	鋼 鋼
	鋼 鋼
	鋼鋼鋼鋼 鋼
	鋼 鋼
	鋼鋼
鋼鋼	鋼 鋼
	鋼 鋼
	鋼鋼 鋼鋼鋼
	鋼 鋼鋼鋼
	鋼 鋼
	鋼 鋼鋼鋼
	鋼 鋼
	PP 鋼
	鋼鋼

鋼 鋼



鋼 & 鋼; 鋼

鋼鋼鋼鋼鋼鋼20-60 鋼鋼鋼

鋼鋼鋼鋼鋼鋼鋼鋼鋼

鋼鋼鋼鋼2-3鋼鋼鋼鋼鋼鋼 鋼鋼鋼鋼鋼

鋼鋼20GP鋼鋼鋼鋼鋼鋼18-20 鋼鋼

鋼鋼40GP鋼鋼鋼鋼鋼鋼24鋼 鋼



1 鋼 鋼鋼鋼 鋼 鋼鋼鋼鋼 鋼 3.鋼鋼鋼

鋼鋼 鋼



□□□ □□



□□□ISO9001□2008□□□□ □□□□□□ □□□□□□□□



SGS□□

FDA□□

□□□□

□□□□□□□□□□

A□□□□5-10□□□□□ □□□□□□□□□□□□20-60□□

□□□ □□□

□□□□□□□□□□□□□□□□ □

A□ □□□□□□□□□□□□□□ □□□□□□□□□□

□□ □□□□□□□□□□

A□□□30□T / T□□□□□□□□ □L / C




















□□□□□□□□ □100□□□□ □□□ □□□□□□□□

□ □ □ □

11

☎☎☎☎86-0451-87105366 ☎☎☎☎☎☎+ 0086-18714605147

QQ☐2851851719 Skype☐☐rain_402