

□□□□

□□ □□	□□ □□
□□	80111235
□□	i/o
□□	0.006-0. 009 □□ (tolerance:+/-5%)
□□	200□□-1950 □□ (□□: +/-1.0mm)
□□	□
□□	ISO9001:2000, □□□□□□
□	□□ □□□□□□□□
□ □□	2000□/□
□□ □□	t/t □□□□□□ LC□
□□ □□	30 □
□□ □□	□□ □□□□□□
□□	□ □□

1.Product □□



2.Package:standard □□ □□□□□□ □□
□□□□□; □□□□□;□□□□□□□□



3.Delivery: 30□□□□□□
□□□□□□□□ □□□□□□□□



4.Production □:

□□□□□□□□□□ □□:

1 > □□□:

□□□□□ □□□□□

□□ □□□□ □□;

00 0000000000;
 00 0000000000

2 > 0000:
 00 000000000000000000,
 0000
 0000 (000000)
 00000000
 00000000000000 & 0000
 0000
 00

3 > 00000:
 00 000
 00000
 00 000000

5.Our 00:

000 000 Co. 00000000 2000, 000000 0000000000 00,000.0.000000000030000000000000 000000000000
 0000000000



6.FAQ:

0: 000000000000
 0: 00 005-10 0, 00000000000045-60 0, 000000 000000
 00000000
 0: 00000000000000000000
 0: 00, 000000000000, 00000000

□□: □□30% □/□, □□□□□□□□

□□ □□□□□□□□□□□□ □□□□□□!□□100% □□□□□□□□□□!

— — —



□□□□□ Co. □□□□

Tel:86-0451-87105399 Whatsapp:+0086-15776907228

QQ:2851851712 Skype:cala.zhang