□□□□

□□

□□□□	6□□9□□□□
□□	1235/3003/8011/8079
□□	O□H112
□□	0.006 / 0.0065 / 0.009mm
□□	16-1960□□
ID	76/152□□
□□	□/□/□
□□	□□□□□

□□□□	T / T□□□30□□□□□□□□□□□□□□L / C□□□
□□□□	□□□□□□25-35□
□□□□	□□□□□□□□ □□□ □□20 GP□□□□□□□18□ □□40 GP□□□□□□□22□

□□□□

□□□□

□□□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□

CERTIFICATE OF CONFORMITY
OF QUALITY MANAGEMENT SYSTEM
CERTIFICATION

Certificate No. 00600Q10766R0E

HARBIN DONGXING ALUMINUM CO.,LTD.

—NO.1 Tianfu Road, Xinhua Industrial Area, Pingfang District, Harbin, Heilongjiang Province,P.R.C. 150086

is in conformity with

GB/T19001-2000 (idt ISO9001:2000) standard

This certificate is valid to the following area

Production and Service of Aluminium Alloy and Magnesium Alloy Processed Material and Highly Processed Products (Excluding 7.3 Design and Development). Design, Development, Production and Service of Aluminium Alloy Materials and Magnesium Alloy Profile

Issue Date: 2005.09.15 China Xinshidai Certification Body

Expiry Date: 2009.09.14 Director:

SYSTEM CERTIFICATION

MANAGEMENT SYSTEM
CNAS C008-Q

Certificate of FDA Compliance

Certification No.: RJSCHN1405995FDA Test Report No.: TSNEC140450002

Applicant: Harbin Dongxing Aluminum Co., Ltd
Address: No.1 Tianfu Road, Xinhua Area, Pingfang Dist, Harbin, china
FDA Facility Registration No.: 1622779228
Product Description: Hydrophilic FoilAluminum CoilAluminum SheetAluminum Foil
Type: N/A
Test Standards: 21CFR175.300
LEACHABLE LEAD CONTENT
Test Performing Date: Apr. 21, 2015 TO Apr. 28, 2015
Test Laboratory: SGS
Date of Issue: Jun. 26, 2015
Valid to: Jun. 25, 2017

Conclusion:
This certificate is only valid for the equipment and configuration described, in conjunction with the test data detailed above. This certificate makes no other representations or warranties, nor does it make any representations or warranties to any person or entity other than the named certificate holder. RJS standard testing & certification center assumes no liability to any person or entity in connection with the foregoing.

RJS -CENTER-

Emma Hu
Chief Operation Officer
Date: Jun. 26, 2015

RJS STANDARDS TESTING & CERTIFICATION CENTER (HK)

CERTIFICATE

The Certification Body - 0036 -
of TÜV SÜD Industrie Service GmbH

certifies that
Harbin Dongxing Aluminum Co.,Ltd.
No.1 Tianfu Road,Xinhua Area,Pingfang District,
150086,Harbin City,P.R.China

has implemented, operates and maintains a

Quality Assurance System in accordance with the Pressure Equipment Directive 97/23/EC, Annex I, Section 4.3, AD 2000-Merkblatt W 0 as well as EN 764-5, Para. 4.2

as a material manufacturer for the scope of

aluminium plate

The scope of the approval is described in the annex to this certificate. Further details are mentioned in report no. 225808

The manufacturer is therefore authorised to issue certificates of specific product control within the scope of the assessed quality system and in accordance with the Pressure Equipment Directive 97/23/EC. Potential additional requirements - specific to applied technical specifications to meet PED Annex I - are not affected.

This certificate is valid through May 2015

In order to adhere the validity an annual surveillance audit is required.

The validity of the certificate is connected to a valid certification in accordance with ISO 9001:2008

Certificate No.: D2R-0036-QS-N-15125/0/MUC
Munich, June 01st, 2010

Notified Body, No. 0036

Certification Body
Material and Welding Technology

TÜV



SGS

TEST REPORT

No. : GZIN1603012602ML
Date : Apr 05, 2016
Page: 1 of 2

CUSTOMER NAME: HARBIN DONGXING ALUMINUM CO., LTD
ADDRESS: NO.1 TIANFU ROAD, XINHUA INDUSTRIAL AREA, PINGFANG DISTRICT, HARBIN, CHINA 150066

The following sample(s) was/ were submitted and identified on behalf of the client as:

Sample Name : 5052 ALLOY IN 3MM THICKNESS
SGS Ref. No. : GZIN1603012563PC
Date of Receipt : Mar 30, 2016
Testing Start Date : Mar 30, 2016
Testing End Date : Apr 05, 2016
Test result(s) : For further details, please refer to the following page(s)

Signed for
SGS-CSTC Standards Technical Services Co., Ltd. GZ Branch Testing Center

Shining Chan
Authorized signatory



SGS

TEST REPORT

No. : GZIN1603012602ML
Date : Apr 05, 2016
Page: 2 of 2

Tensile Test:
Test Method: ASTM B209-14 & ASTM A370-15

Test Item	Specimen type	Tensile strength, R_m (ksi)	Yield strength, Y0.0.2% offset) (ksi)	Elongation after fracture, G=50t (%)	Con.
ASTM B209-14 5052 H32 Req.	-	31.0~38.0 (0.114≤t≤0.2249)	≥23.0 (0.114≤t≤0.2249)	≥14 (0.114≤t≤0.2249)	-
Result	Rectangular specimen	31.6	23.3	14	Pass

Note 1: t is sample thickness, in.
2. The results comply with the requirement of ASTM B209-14 type 5052 H32.

Original Sample Photo:

End of report

Supplier Assessment

Supplier Assessment Certificate

Certification No.5073606_P+T

Harbin Dongxing Aluminum Co., Ltd.
哈尔滨市东兴铝业有限公司
http://ahdongxing.en.alibaba.com

Onsite assessment of the following areas was conducted by TÜV Rheinland.

Company Overview	Human Resources
Current Export Situation	Export Business Capacity
Production Capacity	Quality Assurance
Production Process Management	R & D Capacity
Company Development / Expansion Plans	Production Flow
Certificating & Photos	Company and Product Samples

Valid: 17 Oct. 2012 to 16 Oct. 2013

Issued by: Alibaba.com Assessed by: TÜVRheinland

Date of Issue: 16 Oct. 2012 Certification No.5073606_P+T

Signature:

TÜV Rheinland Shanghai Co. Ltd.
Rm. 1001, No. 1 Lane 777, West Huaihai Road, Shanghai, China

ahdongxing.en.alibaba.com

□□□□

□□□□