



□□	□□□□□□ □□□
□ □□□	□□ □□
□□	6061
□□	o/h112/t3/T351/t4/T451/t6/t651
□	1200-3200mm
□□	6.0 ~ 150mm
□□	□□ 8000mm □□□
□ □□□□	± 0.3 ~ 0.5 mm
□ □□□	± 2-4mm
□ □□□□	± 2-4mm
moq	□□□□□□□□□□□□5□□
□□□ □□	t/t;l/c



□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□



□□□□: gb/t 3190-2008□jis□en□astm

□□□□: gb/t 3880-2006□jis□en□astm



rohs□sgs□fda□ iso9001: 2008□iso14001: 2004□gb/t 28001-2001□□□□□



6061 鋁板鋁棒 鋁管 鋁型材 鋁箔 鋁絲 鋁網 鋁粉 鋁屑 鋁灰 鋁渣 鋁泥 鋁粉 鋁粉 cnc 鋁板 鋁管.

鋁 & 鋁



鋁板鋁棒 鋁管
1 鋁板鋁棒2-3 鋁管鋁棒3 鋁管鋁棒
1 20gp 鋁管18-20 鋁管鋁棒
1 40gp 鋁管24 鋁管鋁棒

鋁板鋁棒 鋁管鋁棒 鋁.

鋁管 30-60 鋁管 鋁管鋁棒 I/c 鋁管鋁棒



鋁 鋁

鋁板鋁棒鋁管鋁型材鋁箔鋁絲鋁網鋁粉鋁屑鋁灰鋁渣鋁泥鋁粉鋁粉

2000 鋁板鋁棒鋁管鋁型材鋁箔鋁絲鋁網鋁粉鋁屑鋁灰鋁渣鋁泥鋁粉鋁粉 cnc 鋁板鋁管
鋁管鋁棒; 鋁 鋁板/鋁棒, 鋁管/鋁管, 鋁管鋁棒18 鋁管260 鋁管4500 鋁管20000 鋁管鋁棒



鋁 ¥

