



□□	□□□□□□ □□□
□ □□□	□□ □□
□□	6061
□□	O/H112/T3/T351/T4/T451/T6/T651
□	1200-3200mm
□□	6.0 ~ 150mm
□□	□□ 8000mm □□□
□ □□□□	± 0.3 ~ 0.5 mm
□ □□□	± 2-4mm
□ □□□□	± 2-4mm
moq	□□□□□□□□□□□□□5□□
□□□ □□	t/t;L/C



□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□



□□□□: GB/T 3190-2008□JIS□EN□ASTM

□□□□: GB/T 3880-2006□JIS□EN□ASTM



ROHS□SGS□FDA□ ISO9001: 2008□ISO14001: 2004□GB/T 28001-2001□□□□□



6061 鋁板鋁棒 鋁管 鋁箔 鋁絲 鋁網 鋁粉 鋁屑 鋁灰 鋁渣 鋁泥 鋁粉 鋁灰 鋁渣 鋁泥 CNC 鋁加工 鋁件.

鋁 & 鋁



鋁板鋁棒 鋁管
1 鋁板鋁棒2-3 鋁管鋁棒3 鋁管鋁棒
1 20GP 鋁管18-20 鋁管鋁棒
1 40GP 鋁管24 鋁管鋁棒

鋁板鋁棒 鋁管鋁棒 鋁.

鋁管 30-60 鋁管 鋁管鋁棒 L/C 鋁管



鋁 鋁

鋁板鋁棒鋁管鋁箔鋁絲鋁網鋁粉鋁灰鋁渣鋁泥

2000 鋁板鋁棒鋁管鋁箔鋁絲鋁網鋁粉鋁灰鋁渣鋁泥 鋁管鋁棒; 鋁管鋁棒 鋁管/鋁管, 鋁管/鋁管, 鋁管 18 鋁管 260 鋁管 4500 鋁管 2 鋁管鋁棒



鋁 ¥

