



mm	mmmm mm
mm mmm	mm mm
mm	1050
mm	o/gunze/h16/H18/H32/H36/h38
mm	1200-350mm
mm	0.21-6.0 mm
mm	mm mm 8mm
mm mm mm	± 0.05-0.3 mm
mm mm	± 2-4mm
mm mm	± 2-4mm
moq	mm mmm mmm, mmmm 5
mm mm	t/t; l/c



mmmm mm mmm, mm, mm, mm, mm, mmm mm, mm, mm, mm mm, mm mmm mm mm mm mm mm.



mm mm: gb/t 3190-2008, jis, en, astm

mmmm mm: gb/t 3880-2006, jis, en, astm



rohs, sgs, fda, iso9001:2008 , iso14001:2004 , gb/t 28001-2001, mm



[1050 mmmmm-mm](#) mm mm mm mm, mm mm mm mm mm, cookers, mm mm, mmmmm mm, mm mm, mmm mm, mm mm mm , mmmmm mm, mm mm mm, mm mm mm, mm mm, mm.

□□ □ □□

□□	□□ □□□□ □□□ 1 □□ □ □□ □□ 2-3 □ □□. 2 □□ □□ □□ □□ □ □ 3. 1 □□ 20gp □□□□□ □□ □□□ □ □□ 18-20 □ □□□□ □. 1 □□ 40 gp □□□□□ □□ □□□ □ □□ 24 □ □□□□ □.
□□ □□	□□, □□, □□□ □
□□ □□	□ □□ □□ □□ 30 □ □□ □□ □□ l/c



□□ □□ □□

□□□ □□ □□□□ (□)

□□□ □□□□ □□□ □□ □□ □□□ □□ □□□ □□ □ □□□□ □□□ □ 2000□□ □□ □□□.
□□□ □□□□ □□ □□□ □□ □ □□ □□□□ □□□ □ □□; □□ □□□□ □□□□/□, □□/□□□, □ □, etc., □□ 18 □□, 260 □□, 4500 □□ □ 20000 □□ □□□ □ □□ □.



□□ □□□ □□□

□□□ □□□ □□□ □□ □□□ □□ □ □□ □□ □□ □□□□ □□!

□□□ 100% □□□ □□ □□□ □□□ □ □ □□!

□□□ □□ □□ □□ □□ □□□ □□□, □□ □□□ □□□ □ □□ □ □ □□□□!

■ ■ ■ ■ ■

☐ ☐

☐☐☐ ☐☐ ☐☐☐☐ co., ☐☐ ☐☐

tel: 86-0451-87105366 ☐☐ ☐☐ ☐☐☐☐: + 0086-18714605147

qq☐: 2851851719 skype: rain_402