




□□



5 □ □□□□□ □□□□ □□□ □□□ □□, □□ □□ □□, □□, □□ □□, □□, □, □□, □□□, □□□□□, □□□ □□ □□, □□ □□, □□□, □□ □□□, □□ □ □□, □□ □□, □□, □□ / □□ □□□ □□ □□.

□□ & □□

MOQ	3 □
-----	-----

□□ □□	2500 □ / □
□□ □□	□□ A4 □□ □□ □□,□□ □ □□□□□□□.
□□ □□	□□□ □□□ □□ □ □□□ □□
□□ □□	T / T, 30 % □□, □□ □□ □□. □□ □□ □□ L / C
□□ □□	□□ □□ □ 25-35 □
□□ □□ □□	□□ □□□□ □□□. □□ □ □□ □□□. □ □□ 20 GP □□□□□ □ 18 □□ □□ □ □ □□□□. □□□ 40 GP □□□□□ □ 22 □□ □□ □ □ □□□□.



工厂简介

工厂 Dongxing 工厂 简介


工厂 Dongxing 工厂 简介, 工厂 简介 工厂 简介 工厂 简介. 工厂 简介 工厂 简介 2000 工厂 简介 简介. 工厂 简介 工厂 简介 简介, 简介, 简介 工厂 简介 简介 简介 简介 简介 简介 简介.



工厂 简介









TEST REPORT

No. : GZIN1603012602ML
Date : Apr 05, 2016
Page: 1 of 2

CUSTOMER NAME: HARBIN DONGXING ALUMINUM CO., LTD
ADDRESS: NO.1 TIANFU ROAD, XINHUA INDUSTRIAL AREA, PINGFANG DISTRICT, HARBIN, CHINA 150066

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Name : 5052 ALLOY IN 3MM THICKNESS
SGS Ref. No. : GZIN1603012563PC
Date of Receipt : Mar 30, 2016
Testing Start Date : Mar 30, 2016
Testing End Date : Apr 05, 2016
Test result(s) : For further details, please refer to the following page(s)

Signed for
SGS-CSTC Standards Technical
Services Co., Ltd. QZ Branch Testing
Center

Shining Chan
Authorized signatory



TEST REPORT

No. : GZIN1603012602ML
Date : Apr 05, 2016
Page: 2 of 2

Tensile Test:


Test Method: ASTM B209-14 & ASTM A370-15

Test item	Specimen type	Tensile strength, S_u (ksi)	Yield strength, $YS(0.2\% \text{ offset})$ (ksi)	Elongation after fracture, G-2in. (%)	Con.
ASTM B209-14 5052 H32 Req.	-	31.0-38.0 (0.114-1.1% 0.249)	≥ 23.0 (0.114-1.1% 0.249)	≥ 9 (0.114-1.1% 0.249)	-
Result	Rectangular specimen	31.6	23.3	14	Pass

Note: 1.1 is sample thickness, in.

2. The results comply with the requirement of ASTM B209-14 type 5052 H32.

Original Sample Photo:



***** End of report*****



This document is issued by the Company subject to its General Conditions of Service printed on request or available on the Internet. The Company is not responsible for the accuracy of the results of the tests performed by its laboratories or for the use of the results of the tests by the client. The client is responsible for the accuracy of the information provided to the Company and for the use of the results of the tests by the client. The Company is not responsible for the accuracy of the results of the tests performed by its laboratories or for the use of the results of the tests by the client. The client is responsible for the accuracy of the information provided to the Company and for the use of the results of the tests by the client.



This document is issued by the Company subject to its General Conditions of Service printed on request or available on the Internet. The Company is not responsible for the accuracy of the results of the tests performed by its laboratories or for the use of the results of the tests by the client. The client is responsible for the accuracy of the information provided to the Company and for the use of the results of the tests by the client. The Company is not responsible for the accuracy of the results of the tests performed by its laboratories or for the use of the results of the tests by the client. The client is responsible for the accuracy of the information provided to the Company and for the use of the results of the tests by the client.



SGS 1603012602ML 5052 ALLOY IN 3MM THICKNESS. The results of the tests performed by its laboratories or for the use of the results of the tests by the client. The client is responsible for the accuracy of the information provided to the Company and for the use of the results of the tests by the client.

Contact Us



Amber Zheng

- Position: Sales Manager
- Tel: 0086-0451-87105377 0086-13766825059
- Email: amber@aludongxing.com
- SKYPE: [amberamber796](#)
- Trademanager: [cnaludongxing](#)
- QQ: 2851851713