



铝箔 铝箔

铝箔

规格	6 英寸 9 英寸 铝箔 铝箔
型号	1235/3003/8011/8079
系列	O-H112
厚度	0.006 / 0.0065 / 0.009mm
长度	16-1960 mm
宽度	76/152 mm
重量	铝箔 / 铝箔 / 铝箔
应用	铝箔 铝箔, 铝箔, 铝箔, 铝箔 铝箔, 铝箔, 铝箔, 铝箔 铝箔, 铝箔 铝箔 铝箔 铝箔 铝箔 铝箔 铝箔 铝箔.
MOQ	3 卷
标准	GB / T 3880-2006, Q / Q 141-2004, ASTM, JIS, EN
认证	ISO9001, SGS, ROHS, FDA, TUV



铝箔



铝箔 铝箔. 铝箔 铝箔. 铝箔 铝箔 铝箔.

1235 英寸 / 3003 / 8011 / 8079 O 铝箔 铝箔.

1235/1145/8079 O 铝箔 铝箔.

1235/8011 铝箔 铝箔.

铝箔 铝箔 铝箔, 铝箔, 铝箔, 铝箔, 铝箔 铝箔, 铝箔 铝箔, 铝箔 铝箔 铝箔 铝箔 铝箔 铝箔; 铝箔 铝箔 铝箔; 铝箔, 铝箔, 铝箔, 铝箔 铝箔 铝箔; 铝箔 铝箔 铝箔, 铝箔 铝箔 铝箔 铝箔 铝箔 铝箔 铝箔 铝箔 铝箔 铝箔 铝箔 铝箔 铝箔.

铝箔 & 铝箔

MOQ	3 卷
规格	2500 英寸 / 英寸
应用	铝箔 A4 铝箔 铝箔 铝箔, 铝箔 铝箔 铝箔.
认证	铝箔 铝箔 铝箔 铝箔 铝箔 铝箔

□□ □□	T / T, 30 % □□, □□ □□ □□. □□ □□ □□ L / C
□□ □□	□□ □□ □ 25-35 □
□□ □□ □□	□□ □□□□ □□□. □□□□□□ □□. □ □□ 20 GP □□□□□ □ 18 □□ □□ □ □ □□□□. □□□□ 40 GP □□□□□ □ 22 □□ □□ □ □ □□□□.




□□ □□
□□ □□□□

□□□□ Dongxing □□□□ □□ □□

□□□□□□ □□□□ Dongxing □□□□ □□ □□, □□□□□ □□□ □ □□□ □□ □□□□□□. □□□□ □□□□ □□ □□□□ □ □□□ 2000 □□ □□□□ □□□□. □□ □□□□ □□ □ □□ □□□□ □□, □□, □□ □ □□□ □□ □□□□ □□□□ □□□□ □□□□ □□ □□□□□□.



□□ □□



0000

0000 0000 0000 0 00 0000 00000 0000 00 0 00 00 000000. 00 000000, 00 00000 0 0000 00 00000 00000 00 00 000000 00000 000000.



Amber Zheng

- Position: Sales Manager
- Tel: 0086-0451-87105377 0086-13766825059
- Email: amber@aludongxing.com
- SKYPE: [amberamber796](https://www.skype.com/people/amberamber796)
- Trademanager: [cnaludongxing](https://www.trademanager.com/cnaludongxing)
- QQ: 2851851713

A circular portrait of a woman with dark hair, wearing a blue and white patterned scarf, is positioned on the left side of the contact information block. The background of the block is a blurred image of an industrial or manufacturing setting.