

Article Description

Article	Aluminum sheet
country by origin	China mainland
Alloy	6061
Temp	O / H112 / T3 / T351 / T4 / T451 / T6 / T651
Width	1200-3200mm
Thickness	6.0-150mm
Length	less than 8000mm
The thickness tolerance	± 0.3-0.5mm
The width tolerance	± 2-4 mm
The length tolerance	± 2-4 mm
MOQ	according to different size, normal 5 tons
Payment Conditions	T / T, L / C



Surface Quality

Be free of oil stains, dent, inclusions, scratches, stains, oxidation Discoloration, Pases, Corrosion, Roller marks, Dirt marks and other defects what will disrupt the use.

Production standard

Chemical composition: GB / T 3190-2008, JIS, EN, ASTM

Mechanical property: GB / T 3880-2006, JIS, EN, ASTM

Certificate


ROHS, SGS, FDA, ISO9001: 2008, ISO14001: 2004, GB / T 28001-2001, FORM



Use

6061 aluminium plate used in manufacture truck, tower building, ship, trolley, railway vehicle, furniture tubes, CNC, machining etc.

Packaging & Amp; To send



Packing up

Standard export package
a pallet is about 2-3 tons. Two steel belts in width and three in width.
a 20GP container can load about 18-20 tons of aluminum sheet.

a 40GP container can load about 24 tons of aluminum sheet.

Port of loading Dalian, Tianjin, Shanghai etc.

Time to deliver Within 30-60 days after receiving the prepayment or original L / C



Company Information

Harbin Dongxing Aluminum Co., Ltd.

It was founded in 2000, a professional collaboration specializing in the production of aluminum alloys and deep processing with aluminum materials. We can manufacture complete sets of aluminum alloy materials; mainly include [aluminum plate / plate](#), [coil / strip](#), [foil, etc.](#), a total of 18 categories, 260 alloys, more than 4500 varieties and 20000 sizes.





Contact US

We look forward to it get the chance to start our long-term cooperation with friends anywhere in the world world! Your 100% satisfaction will always be our goal!

If you have one requirements or doubts, please feel free to contact us!