

Specification

| | |
|-----------------------------------|--|
| Product Name | Aluminum foil for household |
| Alloy | 1000 to 8000 series |
| Temper | O-H112 |
| Thickness | 0.006-0.2mm |
| Width | 200-1960 mm |
| ID | 76/152 mm or as your require |
| Core | Paper/Aluminum/Steel |
| Coated | PE/PVDF. |
| Color | color difference delta E&le within 0.6. |
| Goss | according to customer request |
| Coating thickness | PE≥18um; PVDF≥25um;(Pencil hardness)≥2HB |
| Adhesion | ≥1grade |
| The impact resistance | don't drop paint, no cracks(50KG/CM,ASTMD-2794:1993) |
| Resistance to methyl ethyl ketone | ≥100 |
| Abrasion resistance | ≥10000 without any change |
| MOQ | 3 tons |
| Standard | GB/T 3880-2006, Q/Q 141-2004, ASTM, JIS, EN |
| Certification | ISO9001,SGS, ROHS,FDA,TUV |





Packing & Delivery

Packing Details : Standard export package

Delivery Details : 35-45 days after receiving the prepayment



1. Special logistics packaging 2. Wooden cases 3. Complete package



1. Special logistics packaging 2. process 3. Complete package

Products structure



Our factory

Harbin Dongxing Aluminum Co., Ltd

It was established in 2000, which is a professional cooperation that specialized in manufacturing aluminum alloys and deep-processing with aluminum materials. We can manufacture full series of aluminum alloy materials; mainly include aluminum plate/sheet, coil/strip, foil, etc, altogether 18 categories, 260 alloys, more than 4500 varieties and 20000 sizes.



Contact us

We have an efficient sales and technical team to provide customers with comprehensive technical support. In product upgrades, technical updates and customers to make progress together to provide customers with aluminum alloy applications on the solution.

