

5083 aluminum plate on sale

Product Description

Product Name	Aluminum sheet
Material	aluminum
Color	plain
Thickness	0.25-500mm
Width	200-3300mm
Length	200-30000mm
Standard	GB/T 3880-2006, Q/Q 141-2004, ASTM, JIS, EN
Certificate	/T,L/C
Payment	T/T,L/C
Surface	Be free from Oil Stain, Dent, Inclusion, Scratches, Stain, Oxide Discoloration, Breaks, Corrosion, Roll Marks, Dirt Streaks and other defect which will interfere with use.
Classifier	Normal aluminum sheet Thick aluminum plate Checkered aluminum sheet Mirror aluminum sheet Anodized aluminum sheet Composite aluminum sheet Etc.
Used	Marine aluminum sheet Automobile aluminum sheet Label and signs aluminum sheet Deep drawing aluminum sheet Mould aluminum sheet Mechanical Processing Aluminum sheet Decoration aluminum sheet PP Cap Aluminum sheet Etc.

Products Show



Packing & Delivery

Delivery Details : 20-60 days after receiving the prepayment.

Packing Details : Standard export package.

One pallet is about 2-3 ton.Two steel belts in width and three in width.

One 20GP container can load about 18-20 tons aluminum sheet.

One 40GP container can load about 24 tons aluminum sheet



1. Special logistics packaging
Complete package

2. pallet and steel belts

3.

Our Company



Our Certifications



Passed the ISO9001:2008 qualitysystem authentication
Alibaba.com



SGS certificate

Supplier Assessment Certificate by

FDA certificate

FAQ

Q: How long is your delivery time?

A: Generally it is 5-10 days if the goods are in stock. or it is 20-60 days if the goods are not in stock.

it is according to quantity.

Q: Do you provide samples ? is it free or extra ?

A: Yes, we could offer the sample for free charge but do not pay the cost of freight.

Q: What is your terms of payment ?

A: 30% T/T in advance ,balance before shipment. L/C

Contact us

We are looking forward to having chance to start our long-term cooperation

with friends all over the world ! Your 100% satisfaction will always be our target !

Should you have any requirements or doubts, please feel free to contact us !