Product Description

Specification	
Product	Aluminum slab on sale
Country of Origin	China mainland
Alloy	5052
Temper	O/F
Thickness	200-620mm
Width	500-3500mm
Length	less than 8000mm
MOQ	according to different size,normal 5 tons
Payment Terms	T/T;L/C



Surface Quality

Be free from Oil Stain, Dent, Inclusion, Scratches, Stain, Oxide Discoloration, Breaks, Corrosion, Roll Marks, Dirt Streaks and other defect which will interfere with use.

Production standard

Chemical Composite: GB/T 3190-2008, JIS, EN, ASTM

Mechanical Property: GB/T 3880-2006, JIS, EN, ASTM

Certificate

ROHS, SGS, FDA, ISO9001:2008, ISO14001:2004, GB/T 28001-2001, FORM

CERTIFICATE OF CONFORMITY OF QUALITY MANAGEMENT SYSTEM CERTIFICATION

Certificate No. 00909Q10566R8L

HARBIN DONGXING ALUMINUM CO.,LTD.


----NO.1 Tianfu Road, Xlinhua Industrial Area, Pingfang District, Harbin, Heilongjiang Province, P.R.C. 150066


is in conformity with

GB/T19001-2000 (idt ISO9001:2000) standard

This certificate is valid to the following area

Production and Service of Aluminium Alloy and Magnesium Alloy Processed Material and Highly Processed Products (Excluding 7.3 Design and Development). Design, Development, Production and Service of Aluminium Alloy Materials and Magnesium Alloy Profile





Usage

vacuum chamber, mould, etc.

Packing & Delivery

Раскіпд	Standard Export Package One pallet is about 2-3 ton.Two steel belts in width and three in width. One 20GP container can load about 18-20 tons aluminum sheet. One 40GP container can load about 24 tons aluminum sheet.
Loading Port	Dalian,Tianjin,Shanghai etc.
Delivery Time	Within 30 days after receiving the prepayment or original L/C



Company Information

Harbin Dongxing Aluminum Co.,Ltd

It was established in 2000, which is a professional cooperation that specialized in manufactu ring aluminum alloys and deep-

processing with aluminum materials. We can manufacture full series of aluminum alloy mate rials; mainly include aluminum plate/sheet, coil/strip, foil, etc, altogether 18 categories, 260 alloys, more than 4500 varieties and 20000 sizes.



Contact us

We have an efficient sales and technical team to provide customers with comprehensive technical support. In product upgrades, technical updates and customers to make progress together to provide customers with aluminum alloy applications on the solution.

