



Product Description

Specification

Product Name	6 micron 9 micron Aluminum Foil
Alloy	1235/3003/8011/8079
Temper	O-H112
Thickness	0.006/0.0065/0.009 mm
Width	16-1960 mm
ID	76/152 mm
Core	Paper/Aluminum/Steel
Surface	Be free from Oil Stain, Dent, Inclusion, Scratches, Stain, Oxide Discoloration, Breaks, Corrosion, Roll Marks, Dirt Streaks and other defect which will interfere with use.
MOQ	3 tons
Standard	GB/T 3880-2006, Q/Q 141-2004, ASTM, JIS, EN
Certification	ISO9001,SGS, ROHS,FDA,TUV



Application



Food packing.

Cigarette foil.

Laminated foil.

1235/3003/8011/8079 O aluminum foil.

1235/1145/8079 O aluminum foil.

1235/8011 aluminum foil.

Aluminum foil is widely used in food, beverages, cigarettes, drugs, photographic plate, household items, usually used as packaging materials; electrolytic capacitor materials; buildings, vehicles, ships, houses and other insulation materials; also can be used as decoration of gold and silver thread, wallpaper and all kinds of stationery printing and light industry the decoration product trademarks.

Packing & Delivery

MOQ	3 tons
Produce Capacity	2500 tons/Month
Sample Charge	A4 paper size sample for free,you only need to pay the freight
Sample Making	About one week after we get the charges
Payment Item	T/T,30% prepayment,balance before shipment. Irrevocable L/C at sight
Delivery Time	25-35 days after receiving the prepayment
Packaging Details	Standard export package. Wooden cases. One 20 GP container can load about 18 tons One 40 GP container can load about 22 tons



About us

Company Profile

Harbin Dongxing Aluminum Co.,Ltd


Welcome to Harbin Dongxing Aluminum Co.,Ltd,a leading Chinese manufacturer of aluminum products.We are established in the year 2000, located at beautiful city Harbin. Our factory is a competent and reliable supplier in plain and coated aluminum foil, coil, sheet, and other aluminum products in China.



Processing Equipment



Our Certifications



Contact us

We have an efficient sales and technical team to provide customers with comprehensive technical support. In product upgrades, technical updates and customers to make progress together to provide customers with aluminum alloy applications on the solution.

