

Ürün Açıklama

Şartname


Ürün isim	Alüminyum kaplama bobini satılık
Malzeme	1000/3000/5000 Serisi
öfke	H114
Kalınlık	0.8-10 mm
Genişlik	100-2400 mm
uzunluk	12000 mm'den daha az
Yüzey	Yağlı Boya, Dent, Kapsama, Çizikler, Leke, Oksit Renk Değişimi, Kırılmalar, Korozyon, Rulo İşaretleri, Kir Çizgileri ve kullanıma müdahale edecek diğer kusurlardan uzak durun.
Adedi	5 ton
Standart	GB / T 3880-2006, Q / Q 141-2004, ASTM, JIS, EN
belgeleme	ISO9001, SGS, RoHS, FDA, TÜV

Ürünler Göstermek





Uygulama



5 bar elmas Alüminyum damalı bobin yaygın aydınlatma, güneş yansıtıcı film, binanın görünümü, iç dekorasyon, tavan, duvar, mobilya, dolaplar, asansör, araba iç dekorasyon, ev aletleri, buzdolabı, mikrodalga fırın, ses ekipmanları, havacılık, askeri, kimyasal / termik izolasyon boru hattı kaplaması.

Paketleme & Sons; teslim

Adedi	3 ton
Kapasite Üret	2500 ton / Ay
Örnek Ücretlendirme	A4 kağıt boyutu örneği ücretsiz, yalnızca navlun ödemeniz gerekiyor
Örnek Yapma	Masrafları aldıktan yaklaşık bir hafta sonra
Ödeme Ögesi	T / T,% 30 ön ödeme, sevkiyat öncesi bakiye. Geri çevrilemez L / C görüşte
Teslimat süresi	Ön ödemeyi aldıktan sonra 25-35 gün
paketleme Detayları	Standart ihracat paketi. Yatay ve dikey palet. Bir 20 GP konteynır yaklaşık 18 ton yükleyebilir Bir adet 40 GP'lik bir konteyner yaklaşık 22 ton yükleyebilir



Şirket Profili

Harbin Dongxing Alüminyum A.Ş., Ltd

Hoşgeldiniz Harbin Dongxing Alüminyum Ltd, alüminyum products.We önde gelen Çinli üretici 2000 yılında, güzel şehir Harbin bulunan kurulmuştur. Fabrikamız, düz ve kaplamalı alüminyum folyo, rulo, sac ve Çin'deki diğer alüminyum ürünler konusunda yetkili ve güvenilir bir tedarikçidir.



İşleme Ekipmanları





bizim Sertifikalar


**CERTIFICATE OF CONFORMITY
OF QUALITY MANAGEMENT SYSTEM
CERTIFICATION**

Certificate No. 00909Q10566R8L

HARBIN DONGXING ALUMINUM CO.,LTD.
—NO.1 Tianfu Road, Xinhua Industrial Area, Pingfang District, Harbin,
Heilongjiang Province, P.R.C. 150066

is in conformity with
GB/T19001-2000 (idt ISO9001:2000) standard
This certificate is valid to the following area

**Production and Service of Aluminium Alloy and Magnesium
Alloy Processed Material and Highly Processed Products
(Excluding 7.3 Design and Development), Design, Development,
Production and Service of Aluminium Alloy Materials and
Magnesium Alloy Profile**

Issue Date: 2015.09.15 China Xinshidai Certification Body
Expiry Date: 2019.09.14 No. 7 Jingsham Rd., Chaoyang District, Beijing
Director: 


XQC
 SYSTEM CERTIFICATION


IAF
 MEMBER OF MULTILATERAL
 RECOGNITION ARRANGEMENT


CNAS
 MANAGEMENT SYSTEM
 CNAS C008-Q

If you want to check the validity of this certificate, please find the WEBSITE: WWW.XQC.COM.CN at any time.


Certificate of FDA Compliance

Certification No.: RJSCHN1405805FDA Test Report No.: TSNEC1400450502

Applicant: Harbin Dongxing Aluminum Co., Ltd
Address: No.1 Tianfu Road, Xinhua Area, Pingfang Dist, Harbin, china

FDA Facility Registration No.: 162Z7795206
Product Description: Hydrophilic Foil/Aluminum Coil/Aluminum Sheet/Aluminum Foil

Type: N/A
Test Standards: 21CFR175.300
Test Performing Date: Apr. 21, 2015 TO Apr. 28, 2015
Test Laboratory: SGS
Date of Issue: Jun. 28, 2016
Valid to: Jun. 28, 2017

Conclusion:
This certificate is only valid for the equipment and configuration described, in conjunction with the test data detailed above. This certificate makes no other representations or warranties, nor does it make any representations or warranties to any person or entity other than the named certificate holder. RJS standard testing & certification center assumes no liability to any person or entity in connection with the foregoing.


RJS
 -CENTER-


 Emma Hsu
 Chief Operation Officer
 Date: Jun. 29, 2016


RJS
 TESTING & CERTIFICATION

RJS STANDARDS TESTING & CERTIFICATION CENTER (HK)


Industrie Service

CERTIFICATE

The Certification Body - 0036 -
of TÜV SÜD Industrie Service GmbH

certifies that
Harbin Dongxing Aluminum Co.,Ltd.
No.1 Tianfu Road,Xinhua Area,Pingfang District,
150066,Harbin City,P.R.China
has implemented, operates and maintains a
Quality Assurance System in accordance with the
Pressure Equipment Directive 97/23/EC, Annex I, Section 4.3,
AD 2000-Merkblatt W 0 as well as EN 764-5, Para. 4.2
as a material manufacturer for the scope of
aluminium plates.

The scope of the approval is described in the annex to this certificate.
Further details are mentioned in report no. 229308.

The manufacturer is therefore authorized to issue certificates of specific product control within the
scope of the assessed quality system and in accordance with the Pressure Equipment Directive
97/23/EC. Possible additional requirements - specific to applied technical specifications to meet
PED Annex I - are not affected.

This certificate is valid through May 2019.

In order to adhere the validity an annual surveillance audit is required.
The validity of this certificate is connected to a valid certification in accordance with
ISO 9001:2008.

Certificate No. DGR-0036-QS-W 7512016/MUC
Munich, June 01st, 2016

Notified Body, No. 0036

(M. Strobel)
Certification Body
Material and Welding Technology


0036
 TÜV SÜD


 EQ2675675

TÜV SÜD Industrie Service GmbH, Westlands: 196, 80699 Munich, Germany





TEST REPORT

No. : GZIN1603012602ML
Date : Apr 05, 2016
Page: 1 of 2

CUSTOMER NAME: HARBIN DONGXING ALUMINUM CO., LTD
ADDRESS: NO.1 TIANFU ROAD, XINHUA INDUSTRIAL AREA, PINGFANG DISTRICT, HARBIN, CHINA 150066

The following sample(s) was/were submitted and identified on behalf of the client as:
Sample Name : 5052 ALLOY IN 3MM THICKNESS
SGS Ref. No. : GZIN1603012563PC
Date of Receipt : Mar 30, 2016
Testing Start Date : Mar 30, 2016
Testing End Date : Apr 05, 2016
Test result(s) : For further details, please refer to the following page(s)

Signed for
SGS-CSTC Standards Technical
Services Co., Ltd. GZ Branch Testing
Center

Shining Chan
Authorized signatory



This document is issued by the Company subject to its General Conditions of Service printed hereon. Available on request.
Member of the SGS Group (SGS SA)



TEST REPORT

No. : GZIN1603012602ML
Date : Apr 05, 2016
Page: 2 of 2


Tensile Test:

Test Method: ASTM B209-14 & ASTM A370-15

Table with 6 columns: Test item, Specimen type, Tensile strength, Yield strength, Elongation after fracture, and Con. Row 1: ASTM B209-14 5052 H32 Req. Row 2: Result

Note: 1. t is sample thickness, in.
2. The results comply with the requirement of ASTM B209-14 type 5052 H32.

Original Sample Photo:



***** End of report*****



This document is issued by the Company subject to its General Conditions of Service printed hereon. Available on request.
Member of the SGS Group (SGS SA)



Temas bize

Müşterilere kapsamlı teknik destek sağlamak için etkin bir satış ve teknik ekibimiz var.
Ürün güncellemelerinde, teknik güncellemelerde ve müşterilerin birlikte çözümler üzerinde alüminyum alaşım uygulamaları ile müşterilerine sunmak için ilerleme kaydetmek.

Contact Us



Amber Zheng

- Position: Sales Manager
- Tel: 0086-0451-87105377 0086-13766825059
- Email: amber@aludongxing.com
- SKYPE: [amberamber796](https://www.skype.com/people/amberamber796)
- Trademanager: [cnaludongxing](https://www.trademanager.com/cnaludongxing)
- QQ: 2851851713